

eva-last

INSPIRED BY NATURE, DESIGNED FOR LIFE.



Better decking. Better living.



www.eva-last.net.au



Apex

LIGHTWEIGHT, CAPPED PVC DECKING

Beautiful Apex composite sets the standard for the most natural-looking composite. Its ultra-lightweight PVC core makes for easy installation. Apex offers slip resistance, and exceptional low-maintenance, requiring only the most basic of cleaning for optimal longevity. Its resilient protective cap is the leading fade, scratch, and stain resistant acrylic polymer capping available. Apex provides long-term decay and weather resistance by resisting biodegradation, insects, moisture, and the elements. Apex is also an environmentally friendly alternative to timber, with holistically sustainable manufacturing and use of raw materials.



PRODUCT MATERIALS

Apex



Capping material:
Engineered acrylic polymer

Core material:
Foamed PVC composite





TAKE HOME THE BENEFITS

Apex



BEAUTIFUL NATURAL LOOK

Sets the standard for the most natural-looking composite



LIGHTWEIGHT

Ultra-lightweight PVC core makes for easy installation



SLIP RESISTANT

Best in its class, tested to Australian Standard AS5486



EXCEPTIONALLY LOW-MAINTENANCE

Only the most basic of cleaning required for optimal longevity



RESILIENT PROTECTIVE CAP

Fade, scratch, & stain resistant acrylic polymer capping



DECAY & WEATHER RESISTANT

Resists biodegradation, insects, moisture, & weather



ENVIRONMENTALLY FRIENDLY

Holistically sustainable manufacturing & use of raw materials

Apex

**GROOVED BOARD AND
SQUARE EDGE BOARD**




DUAL COLOUR AND SCULPTED GRAIN



BRAZILIAN TEAK



HIMALAYAN CEDAR



ALASKAN DRIFTWOOD

APEX SINGLE SIDED CELLULAR PVC DECKING

Available in 140mm and 190mm:

140mm:

Dimensions	140 x 24 mm (5.7 m lengths)
Weight	2.4 kg / m
Recommended Joist spacing	300 mm on centres

190mm:

Dimensions	190 x 24 mm (5.7 m lengths)
Weight	3.1 kg / m
Recommended Joist spacing	350 mm on centres

Grooved board



140mm: 20 HULK hidden fasteners / m²
190mm: 16 HULK hidden fastener clips / m²
(Uses HULK S9 clip)



Compatible with Chain collated clips

Square edge board



Uses HULK composite top fixing screws on non-grooved edges






Infinity


Highly versatile. Ultra-low maintenance.

Infinity composite is the ultimate in durability and the toughest co-extruded composite decking available. Its resilient protective cap made of advanced polymer resists scratches, fade, mould and mildew, and makes Infinity exceptionally low-maintenance, with only the most basic of cleaning required for optimal longevity. Infinity offers decay and weather resistance with top protection from biodegradation, insects, UV, and harsh weather. Its streaked colour variation provides a natural look that embodies the essence of timber. Enjoy the stain and slip resistance of this environmentally friendly alternative to timber, which is holistically sustainable from its manufacturing to its use of raw materials.



Infinity IS

I-Series offers a cost-effective, lightweight decking option thanks to its revolutionary shape which uses less material but maintains class-leading strength, stiffness, and span capability.



(P) PATENTED TECHNOLOGY

Capping material:
Engineered polymer

Core material:
High density polymer composite



COST-EFFECTIVE

Revolutionary shape saves on transportation & installation



LIGHTWEIGHT

Smart I-beam design is lighter by using less material




SPAN CAPABILITY

I-Series offers the span potential of much heavier, solid boards



EFFICIENT INSTALLATION

Simple to work with & requires less substructure





TAKE HOME THE BENEFITS

Infinity



ULTIMATE DURABILITY

One of the toughest co-extruded composites available



RESILIENT PROTECTIVE CAP

Advanced polymer cap resists scratches, fade, mould, & mildew



EXCEPTIONALLY LOW-MAINTENANCE

Only the most basic of cleaning required for optimal longevity



DECAY & WEATHER RESISTANT

Top protection from biodegradation, insects, UV, & harsh weather



STAIN RESISTANT

Protective cap prevents stains for long-lasting beauty



SLIP RESISTANT

Thoughtfully engineered textured finish keeps you safer




NATURAL LOOK

Streaked colour variation for the look of timber



ENVIRONMENTALLY FRIENDLY

Holistically sustainable manufacturing & use of raw materials



140 x 23 mm
Grooved board




140 x 23 mm
Square edge board

Infinity DS

SOLID, DOUBLE-SIDED CAPPED BOARDS

Dimensions	140 x 23 mm (5.4 m length)
Weight	3.86 kg / m
Recommended Joist spacing	450 mm on centres



TIGER COVE

The Infinity DS board provides exceptional durability and is an ideal decking profile for residential or high traffic or commercial areas. The double-sided board can also be used as cladding, screening, or applications which showcase both sides of the board. Its solid composition makes installation simple and straightforward. Infinity DS is available as a grooved deck board for a screw-free final look by tucking HULK hidden fasteners out of view and a square edge board, fastened through the surface with top fixing screws.

Infinity DS is produced with random colour variations within the product to mimic that of natural timber. So in any colour, you will get a variety of lighter and darker tones just as nature intended. This only adds to the aesthetic appeal of your composite decking.



CARIBBEAN CORAL



CAPE TOWN GREY



FIRE KOA



SPANISH SAFFRON

Fasteners

Grooved board



18 HULK hidden fasteners / m²
(Uses HULK S9 clip)




Compatible with Chain collated clips

Square edge board



48 HULK composite deck screws / m²



135 x 25.4 mm
Grooved board



135 x 25.4 mm
Starter board

Infinity *IS*

SINGLE-SIDED CAPPED I-SERIES BOARDS

Dimensions	135 x 25.4 mm (5.4 m lengths)
Weight	2.84 kg / m
Recommended Joist spacing	Up to 450 mm on centres



Scan to view the Infinity Installation Guide

The Infinity IS deck board is the ultimate in lightweight durability, and is available as a grooved deck board and a starter board for greater versatility and ease of installation. The grooved board offers grooves along both edges for an efficient, beautiful installation. HULK hidden clips easily slot into the grooves for streamlined installation that tucks fasteners out of view for a screw-free finish. The starter board provides one grooved edge and one solid, ideal for finishing or "picture framing" the perimeter of your deck or project.

Infinity IS is produced with random colour variations within the product to mimic that of natural timber. So in any colour, you will get a variety of lighter and darker tones just as nature intended. This only adds to the aesthetic appeal of your composite decking.




CARIBBEAN CORAL



CAPE TOWN GREY



CONCRETE GREY



OASIS PALM



TIGER COVE



SPANISH SAFFRON

Fasteners

Grooved board



18 HULK hidden fasteners / m²
(Uses HULK S9 clip)



Compatible with
Chain collated clips

Starter board



Uses HULK composite top fixing
screws on non-grooved edges

HULK FASTENERS.

FASTENED, FOR LIFE.



Corrosion Resistant



Colour Matched Aesthetic



Neat Surface Finish



Fast and Easy Installation



No Pre-drilling Required*

DESIGNED FOR PROFESSIONALS. PERFECT FOR NOVICES.

Eva-Last has developed a range of fasteners that thoroughly complement our composite products to ensure the stability and longevity of your deck. HULK fasteners are specially designed to securely fasten the deck boards to a substructure, but can also be used in other wood or steel fixing applications. The coating employed for our HULK fasteners ensures the fixing system supports your deck through out its lifespan.

HULK FASTENERS				
Image	Colour	Bits	Material	Units
 <p>HIDDEN CLIP (S9)</p>	Black	N/A	Stainless steel 430	125 & 350 Approx coverage (90 x 23 mm): 30 per m ² (140 x 23 mm): 18 per m ²
 <p>SCREW FOR TIMBER</p>	Black	1HTX (II)	Stainless steel 305	
 <p>SCREW FOR METAL</p>	Black	1HTX (II)	Stainless steel 410	

HULK FASTENERS HIDDEN CLIPS

HULK fasteners were created to ensure Eva-Last decking products would have an equally durable and long lasting fastener solution. Given the 25 to 30-year warranty Eva-Last decking offers, an equally reliable fastener was necessary to create a complete decking package. It had to be able to stand up to the toughest of weather conditions gracefully and sustainably.





chain

Collated decking clip

A PRODUCT BY  HULK FASTENERS.

GET THE JOB DONE FASTER.

Chain collated clips save you time and money by streamlining installation with pre-loaded screws that offer cutting-edge performance for the entire lifespan of your deck. Enjoy a simpler installation and a more secure long-term fastener that complements the overall look of your deck.

FEATURES AND BENEFITS



MORE EFFICIENT INSTALLATION

Collated system comes pre-loaded with screws for quicker installation



DURABLE

Stainless steel clip with a protective polymer coating for extended outdoor longevity



INNOVATIVE ENGINEERING

Cost-effective use of materials without affecting grip strength or overall clip performance



UNIVERSAL APPLICATION

Works with timber & composite boards of variable thickness & groove depths



STRENGTH IN SIZE

Proven strength in uplift holding power & preventing lateral movement of boards



EASIER POST-INSTALLATION ACCESS

More convenient post-installation board removal with direct overhead fastener access

CHAIN COLLATED CLIPS

Chain collated clips offer a smarter solution for creating an outdoor decking oasis. Each clip is pre-loaded with either a timber or metal frame screw for ease of installation. Like all Eva-Last products, Chain collated clips are built on the principle of longevity. The durable and high quality materials of Chain collated clips, make installations more efficient and longer lasting, for both professionals and novices alike.



Chain collated clip preloaded with Timber Screws



Chain collated clip preloaded with Metal Screws

CHAIN HAND TOOL

The Chain hand tool adds value to the Chain collated clip system by maximising installation efficiency. The hand tool creates precise fastening thanks to its built-in depth control system that eliminates installation errors and weak connections. The hand tool is compatible with a wide range of composite and timber board sizes, ergonomically designed for ease of use, and made from high quality materials for long-lasting reliability.





LOW ENVIRONMENTAL IMPACT

Holistically sustainable manufacturing & use of raw materials



CHOOSE SUSTAINABLE DECKING



RENEWABLE RESOURCES & RENEWABLE ENERGY.

We believe that how we manufacture is just as important as what we manufacture when it comes to going green. That's why we've traded in fossil fuels for renewable energy. Our products are now manufactured using solar power. We are fully committed to bringing you a product that's holistically eco-conscious.

Eva-Last is internationally recognised for our commitment to the environment. We're proud of the work we do to promote environmental sustainability, and invite you to choose timber alternatives that are gentle on the Earth.

- Made from recycled materials
- No trees felled
- No further treatment or toxic chemicals required
- Made using solar energy
- Reduced impact on landfills (Recyclable at the end of life)
- Reduced carbon footprint

Proudly distributed in Australia by



ITI Australia

Innovative Timber Ideas

itiaustralia.com.au

salesnsw@iti.net.au

ITI NSW - Tel: 02 8805 5000

ITI Newcastle - Tel: 02 4953 7666

JCS - Tel: 02 9833 0355

EVA-LAST

INSPIRED BY NATURE, DESIGNED FOR LIFE.



www.eva-last.net.au

Eva-Last reserves the rights to all brands, products and trademarks within this publication.
Eva-Last ITEM: 1122 V1 DECKING BROCHURE

Disclaimer:

Although we make every effort to ensure the information contained in this brochure is accurate, we are NOT responsible for any errors or misprint that occurs and we are NOT responsible for ANY damage or liability that result from the use (or misuse) of the information. In the event that an error does occur, we reserve the right to correct, or make changes to, this information at any time.

Disclaimer:

Span data provided herein is indicative based on specific test load conditions (refer to your product Technical Data Sheet). Dimensional and mass data provided herein is indicative based on typical production and may vary with manufacture and material tolerance. Before installing any Eva-Last product, ensure that the application is rational and complies with the local regulations and building codes. Wherever necessary, consult a suitably qualified professional.