

A young child with dark curly hair is lying on their back on a light-colored, textured rug. The child is wearing a light blue long-sleeved shirt and khaki shorts, and is laughing joyfully with their eyes closed and mouth wide open. The rug is placed on a light-colored wood-look laminate or SPC flooring. The background is a plain, light-colored wall.

tierTM


Fabulous, functional, forever.

www.tierflooring.com.au

MORE THAN
just beauty

TIERTM LUXURY SPC INDOOR FLOORING

A PRODUCT BY **EVA-LAST**[®]
INSPIRED BY NATURE, DESIGNED FOR LIFE.



LOVE *your floors*

Love how you live with hassle-free flooring. TIER™ indoor flooring offers charming natural aesthetics without the drawbacks of traditional wood flooring. TIER™ technology provides greater protection against moisture, scratches and stains than other indoor flooring products.


Enjoy the aesthetics of wood thanks to the specialised embossed wear layer of TIER™, and the durability, scuff resistance and eco-conscious engineering of a product that far outperforms other indoor flooring.

TIER™ makes your life and you home simpler, greener and more beautiful.

TIERS OF TIER™

LUXURY SPC INDOOR FLOORING

With CarbideCore technology



Euroclass B_{fl} - s1
FIRE RATED



FSC™ certified bamboo
composite product

BENEFITS



HEAT RESISTANT

The core layer can tolerate temperatures of up to 70°C without adverse effects. This means that when one part of your floor is exposed to direct sunlight and the other part is in shade, the areas behave similarly. The benefit to you is that you will not see warping, bending or buckling - even in sunny areas.



WATER RESISTANT

The materials which make up the layers of TIER™ flooring are each highly resistant to moisture absorption. The stability of TIER™ flooring means the click joint system forms a snug, watertight fit. The benefit to you is that TIER™ flooring will not allow a spill to penetrate beneath your flooring and will not absorb water, swell, or buckle.



STABLE

The mineral component of the core stabilises it. It will not change shape or size under different temperature and moisture conditions, and it will not react with typical household chemicals. The benefit to you is that TIER™ flooring is safe in your home. This stability allows you to install TIER™ flooring without expansion gaps on areas up to 200 m², even between adjacent rooms.



SOUND SUPPRESSION

The composite layers of TIER™ flooring give it unusually high sound reduction for all types of noise. The vinyl outer layer is soft under impact such as hard shoes. The dense rigid core resists received sound such as conversation or loudspeakers. The foam underlay suppresses the transmission of sound into the building. Most materials are unsuitable for extensive sound suppression. TIER™ flooring is an unusual combination of materials which reduces noise in the room and sound transferred to the structure.



CLICK INSTALLATION

The core composite layer is machined to exact standards. The stability of this composite means that the shape and size of these precise parts remains consistent. The benefit to you is that TIER™ flooring is easy to install. The edges will not wear away against each other or deform over time.



ANTIMICROBIAL PROTECTION

The foamed underlay of the TIER™ indoor floorboard is coated using an antimicrobial additive. This inhibits the growth of a wide range of microorganisms. The benefit to you is a fresh, clean, and protective floor.



VOC FREE

The core is a mineral-vinyl composite which uses no glues. It will therefore not emit VOCs into your home or office. When adding the foamed base and the surface wear layer, we strictly use only VOC free adhesives. The benefit to you is comfort in knowing that TIER™ flooring brings none of these dangerous chemicals into your home and work environments.



RIGID

The core layer is an extruded composite of powdered minerals and vinyl. The result is a new mineral polymer composite material which is extremely rigid. The benefit to you is that TIER™ flooring has a mixture of the characteristics of a ceramic tile and a vinyl floor.

APPLICATIONS

FLOOR BOARDS

to love and live on


TIER™ is designed for versatility as well as durability. TIER™ can be applied to any room in your house or commercial space. Let the good looking, low-maintenance and high-performance features of TIER™ enhance the appeal of your home or business.





CLICK SYSTEM PROFILE

TIER™ flooring is made from a reliable and rigid Stone Plastic Composite (SPC) core for added strength and longevity. The core layer is an innovative material which can be machined to exact standards, making for easy installation. The result is robust edges which will not wear away against each other or deform over time.



EASY INSTALLATION

Installing TIER™ slip groove flooring is quick and easy thanks to the simplified click installation system that creates a watertight, seamless finish. For details, visit the website www.tierflooring.com and download the care and installation guides.



TIER™ flooring is expertly engineered to elevate the functionality and aesthetics of your indoor space. With TIER™, your flooring can be both practical and elegant.

TIER™ is available in convenient tongue-and-groove “click” profiles. The click system TIER™ profile allows you to easily slide and click boards into one another to create a secure, continuous installation surface. This rigid, floating system allows for quick and easy installation and comes standard with a pre-applied IXPE underlay backing.

COLOURS AND STYLES

TIER™ flooring is designed to be beautiful and livable. TIER™ is available in a neat range of colours that embody the natural look of wooden and restored wood flooring, without the upkeep hassles or environmental strain. They're engineered to outlast, and tastefully compliment the functionality of your home. Choose the style and colour that make your floors a standout feature.

	Available in 181mm x 1220mm			
		Washed Oak Beige	Washed Oak Blonde	
Available in 181mm x 1220mm				
				
		Washed Oak Natural	Washed Oak Olive	Washed Oak Grey
	Available in 181mm x 1220mm & 228mm x 1220mm			
				
		Eucalyptus Natural	Fine Oak Taupe	
Available in 228mm x 1220mm				
				
		Knotty Oak Dove	Knotty Oak Barley	Knotty Oak Wheat
				
		Knotty Oak Rye		

SPECIFICATIONS AND WARRANTY

SPECIFICATIONS

Core thickness (mm)	Dimensions (mm)	Boards per box
3.50	181 x 1 220 228 x 1 220	10
Underlay thickness (mm)	Thickness (mm)	Mass per board (kg)
1.50	5.55	181 - 1.65 228 - 2.28
Wear layer thickness (mm)	m ² per board	m ² per box
0.55	181 - 0.22 228 - 0.278	181 - 2.21 228 - 2.78
Wear layer type	Click system	
Engineered polymer	Yes	

WARRANTY CLASSES

Light Industrial	Heavy Commercial	Heavy Domestic
5 YEAR WARRANTY	10 YEAR WARRANTY	30 YEAR WARRANTY
Abrasion class*	Abrasion class*	Abrasion class*
AC5	AC5	AC5
Use class**	Use class**	Use class**
23	33	42
*As defined in BS EN 13329		**As defined in BS EN ISO 10582





TIER™

Fabulous, functional, forever.

LOVE your floors

Choose quality alternatives to timber that improve your lifestyle and the environment.

TIER™ is setting the benchmark for eco flooring and green manufacturing processes. TIER™ high performance products are created using solar energy and are an ultra-low maintenance, water resistant alternative to timber. With TIER™ indoor flooring you make a positive impact on your home and the earth.



MADE WITH SOLAR ENERGY

TIER™ flooring is manufactured using solar power. This greatly reduces its carbon footprint to help protect the Earth and brings you peace of mind.



EUROCLASS B_{fi} - s1 FIRE RATED

TIER™ flooring is Euroclass B_{fi} - s1 fire rated, making it a safer and more reliable product for your residential or commercial application.



Forest Stewardship Council (FSC) certification ensures that products come from responsibly managed forests that provide environmental, social and economic benefits. The diverse fauna and flora who share our forests are given the time and space to recover from our use of their environments.



ITI NSW (Sydney): 02 8805 5000 | 02 9623 0492 | salesnsw@iti.net.au | 59 Dunheved Circuit, St Marys, NSW 2760

ITI WA (Perth): 08 9256 5700 | 08 9455 2905 | saleswa@iti.net.au | 102-108 Bannister Rd, Canning Vale WA 6155

ITI VIC (Melbourne): 03 9392 8400 | 03 9394 8400 | salesvic@iti.net.au | 68-80 Kirkham Rd W, Keysborough, VIC 3173



FSC Certified



www.tierflooring.com.au

Eva-Last reserves the rights to all brands, products and trademarks within this publication.
TIER ITEM: 0123 V1 AU FULL BROCHURE

Disclaimer:

Although we make every effort to ensure the information contained in this brochure is accurate, we are NOT responsible for any errors or misprint that occurs and we are NOT responsible for ANY damage or liability that result from the use (or misuse) of the information. In the event that an error does occur, we reserve the right to correct, or make changes to, this information at any time.

Disclaimer:

Span data provided herein is indicative based on specific test load conditions (refer to your product Technical Data Sheet). Dimensional and mass data provided herein is indicative based on typical production and may vary with manufacture and material tolerance. Before installing any Eva-Last product, ensure that the application is rational and complies with the local regulations and building codes. Wherever necessary, consult a suitably qualified professional.