

tierTM

Fabulous, functional, forever.

www.tierflooring.com.au



MORE THAN
just beauty

TIERTM LUXURY SPC INDOOR FLOORING

A PRODUCT BY **EVA-LAST[®]**
INSPIRED BY NATURE, DESIGNED FOR LIFE.


LOVE *your floors*

TIER™ luxury flooring provides the beauty of wood in a Stone Polymer Composite (SPC) that is heat resistant, making it stable and ensuring no movement over time. Its water resistant click installation system prevents moisture ingress and the IXPE underlayer ensures sound suppression and a softer feeling underfoot. TIER™ is the cleaner, safer flooring option thanks to its VOC free manufacturing and natural antimicrobial features. TIER™ elevates the functionality and style of your indoor space.

TIERS OF TIER™

LUXURY SPC INDOOR FLOORING

With CarbideCore technology



Euroclass B_{fl} - s1
FIRE RATED



FSC™ certified bamboo
composite product

BENEFITS



HEAT
RESISTANT



STABLE



WATER
RESISTANT



SOUND
SUPPRESSION



CLICK
INSTALLATION



VOC FREE



ANTIMICROBIAL
PROTECTION





APPLICATIONS

FLOOR BOARDS

to love and live on

TIER™ is designed for versatility as well as durability. TIER™ can be applied to any room in your house or commercial space. Let the good looking, low-maintenance and high-performance features of TIER™ enhance the appeal of your home or business.



CLICK SYSTEM PROFILE

TIER™ flooring is made from a reliable and rigid Stone Plastic Composite (SPC) core for added strength and longevity. The core layer is an innovative material which can be machined to exact standards, making for easy installation. The result is robust edges which will not wear away against each other or deform over time.



EASY INSTALLATION

Installing TIER™ slip groove flooring is quick and easy thanks to the simplified click installation system that creates a watertight, seamless finish. For details, visit the website www.tierflooring.com and download the care and installation guides.



TIER™ flooring is expertly engineered to elevate the functionality and aesthetics of your indoor space. With TIER™, your flooring can be both practical and elegant.

TIER™ is available in convenient tongue-and-groove “click” profiles. The click system TIER™ profile allows you to easily slide and click boards into one another to create a secure, continuous installation surface. This rigid, floating system allows for quick and easy installation and comes standard with a pre-applied IXPE underlay backing.

COLOURS AND STYLES

TIER™ flooring is designed to be beautiful and livable. TIER™ is available in a neat range of colours that embody the natural look of wooden and restored wood flooring, without the upkeep hassles or environmental strain. They're engineered to outlast, and tastefully compliment the functionality of your home. Choose the style and colour that make your floors a standout feature.

Available in
181mm x 1220mm



Washed Oak Beige



Washed Oak Blonde

Available in
181mm x 1220mm



Washed Oak Natural



Washed Oak Olive



Washed Oak Grey

Available in
181mm x 1220mm



Plain Red Oak Natural



Eucalyptus Natural



Fine Oak Taupe

Available in
228mm x 1220mm



Knotty Oak Dove



Knotty Oak Barley



Knotty Oak Wheat



Knotty Oak Rye

SPECIFICATIONS AND WARRANTY

SPECIFICATIONS

Core thickness (mm)	Dimensions (mm)	Boards per box
3.50	181 x 1 220 228 x 1 220	10
Underlay thickness (mm)	Thickness (mm)	Mass per board (kg)
1.50	5.55	181 - 1.65 228 - 2.28
Wear layer thickness (mm)	m ² per board	m ² per box
0.55	181 - 0.22 228 - 0.278	181 - 2.21 228 - 2.78
Wear layer type	Click system	
Engineered polymer	Yes	

WARRANTY CLASSES

Light Industrial	Heavy Commercial	Heavy Domestic
5 YEAR WARRANTY	10 YEAR WARRANTY	30 YEAR WARRANTY
Abrasion class*	Abrasion class*	Abrasion class*
AC5	AC5	AC5
Use class**	Use class**	Use class**
23	33	42
*As defined in BS EN 13329		**As defined in BS EN ISO 10582



The logo for TIER flooring, featuring the word "tier" in a bold, lowercase, sans-serif font with a trademark symbol (TM) to the upper right.

Fabulous, functional, forever.

LOVE *your floors*

Choose quality alternatives to timber that improve your lifestyle and the environment.

TIER™ is setting the benchmark for eco flooring and green manufacturing processes. TIER™ high performance products are created using solar energy and are an ultra-low maintenance, water resistant alternative to timber. With TIER™ indoor flooring you make a positive impact on your home and the earth.



MADE WITH SOLAR ENERGY

TIER™ flooring is manufactured using solar power. This greatly reduces its carbon footprint to help protect the Earth and brings you peace of mind.



EUROCLASS B_{fl} - s1 FIRE RATED

TIER™ flooring is Euroclass B_{fl} - s1 fire rated, making it a safer and more reliable product for your residential or commercial application.



Forest Stewardship Council (FSC) certification ensures that products come from responsibly managed forests that provide environmental, social and economic benefits. The diverse fauna and flora who share our forests are given the time and space to recover from our use of their environments.



ITI VIC (Melbourne)

03 9392 8400 | 03 9394 8400 | salesvic@iti.net.au

68-80 Kirkham Rd W, Keysborough, VIC 3173



www.tierflooring.com.au

Eva-Last reserves the rights to all brands, products and trademarks within this publication.
TIER ITEM: 0123 V1 AU VIC BROCHURE

Disclaimer:

Although we make every effort to ensure the information contained in this brochure is accurate, we are NOT responsible for any errors or misprint that occurs and we are NOT responsible for ANY damage or liability that result from the use (or misuse) of the information. In the event that an error does occur, we reserve the right to correct, or make changes to, this information at any time.

Disclaimer:

Span data provided herein is indicative based on specific test load conditions (refer to your product Technical Data Sheet). Dimensional and mass data provided herein is indicative based on typical production and may vary with manufacture and material tolerance. Before installing any Eva-Last product, ensure that the application is rational and complies with the local regulations and building codes. Wherever necessary, consult a suitably qualified professional.