



Fabulous, functional, forever.

**TIER CLASSIC COMMERCIAL
MATERIAL SAFETY DATA SHEET**

VERSION: 1.0 | 25/08/2023

A PRODUCT BY **EVA-LAST**
INSPIRED BY NATURE. DESIGNED FOR LIFE.

Anhui Sentai WPC TEC Flooring Co., Ltd

TEST REPORT

SCOPE OF WORK

Heterogeneous PVC flooring covering(type: SPC IRE Flooring/rigid vinyl plank)

REPORT NUMBER

200326001SHF-005

TEST DATE(S)

2020-04-13 - 2020-04-26

ISSUE DATE

2020-06-01

PAGES


16

DOCUMENT CONTROL NUMBER

LFT-APAC-SHF-OP-10k(May 1, 2020)

© 2020 INTERTEK

Intertek Testing Services Shenzhen Ltd. Shanghai Fengxian Branch



Test Report

Statement

- 1.This report is invalid without company's special seal for testing on assigned page.
- 2.This report is invalid without authorized person's signature.
- 3.This report is invalid where any unauthorized modification indicated.
- 4.Don't copy this report in partial (except full copy) without any official approval in written by our company. This report is invalid without re-stamping the special seal for testing in copying report.
- 5.Any holder of this document is advised that this report is for the exclusive use of Intertek's Customer and is provided pursuant to the agreement between Intertek and its Customer. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. This report was made with due care within the limitation of a defined scope of work and on the basis of information, materials and instructions received from the Customer or its nominated third parties. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. The tests results are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results.
- 6.Intertek's written consent is required to use Intertek's name or logo on the object, product or service being tested. The observations and test results in this report relate only to the sample under test. This report alone does not indicate that the item, product or service has passed any Intertek certification program.
- 7.The report was digital signed by Shang Hai, Intertek Group plc, please using Adobe Acrobat Reader to verify the authenticity.

Test Report

Issue Date: 2020-06-01 Intertek Report No. 200326001SHF-005
 Applicant: Anhui Sentai WPC TEC Flooring Co., Ltd
 Address: No.19, Guohua Rd, Guangde TED Zone, Guangde, Anhui, China
 Attn: Jerry
 Test Type : Performance test, samples provided by the applicant.

Product Information

Product Name	Heterogeneous PVC flooring covering(type: SPC IRE Flooring/rigid vinyl plank)	Brand	/
Sample Description	Good Condition	Sample Amount	49 pcs
		Received Date	2020-04-13
Sample ID	Model	Specification	
S200326001SHF.005	SPC0543, 4.8/0.5mm	1220*228*4.8mm	

Test Methods And Standards

Test Standard	EU REACH Regulation No 1907/2006 Article 33(1) Obligation to provide information of safe use (see REACH requirement in report for details)
Specification Standard	EU REACH Regulation No 1907/2006 Article 33(1) Obligation to provide information of safe use (see REACH requirement in report for details)
Test Conclusion	The samples were tested according to the above standards, and the results are shown in the following page.

Note:

1.This report relates specifically to the sample(s) that were drawn and provided by the applicant or their nominated third party. The reported result(s) provide no warranty or verification on the sample(s) representing any specific goods and/or shipment and only relate to the sample(s) as received and tested.

Report Authorized

Daniel Zhang *Tod Qian*
 Name: Daniel Zhang Name: Tod Qian
 Title: Reviewer Title: Project Engineer

Test Report

Issue Date: 2020-06-01

Intertek Report No. 200326001SHF-005

Test Items, Method and Results:

Test method: By a combination of Inductively Coupled Argon Plasma Spectrometry, Gas Chromatography – Mass Spectrometry, Liquid Chromatography - Mass Spectrometry, UV-VIS Spectrophotometer, Gas Chromatography - Electron Capture Detector, Headspace Gas Chromatography - Mass Spectrometry and High-Performance Liquid Chromatography.

205 SVHCs Testing Results:

(a) The First List (15 SVHC Released in Oct, 2008)

No.	Chemical Substance	CAS No.	Results %(w/w)
1	Cobalt Dichloride Δ	7646-79-9	ND
2	Diarsenic Pentaoxide Δ	1303-28-2	ND
3	Diarsenic Trioxide Δ	1327-53-3	ND
4	Lead Hydrogen Arsenate Δ	7784-40-9	ND
5	Triethyl Arsenate Δ	15606-95-8	ND
6	Sodium Dichromate Δ	7789-12-0, 10588-01-9	ND
7	Bis (Tributyltin) Oxide (TBTO) Δ	56-35-9	ND
8	Anthracene	120-12-7	ND
9	4,4'-Diaminodiphenylmethane (MDA)	101-77-9	ND
10	Hexabromocyclododecane (HBCDD) and All Major Diastereoisomers Identified (α-HBCDD, β-HBCDD, γ-HBCDD)	25637-99-4 and 3194-55-6 (134237-50-6, 134237-51-7, 134237-52-8, 25637-99-4)	ND
11	5-Tert-Butyl-2,4,6-Trinitro-m-Xylene (Musk Xylene)	81-15-2	ND
12	Bis (2-Ethylhexyl) Phthalate (DEHP)	117-81-7	ND
13	Dibutyl Phthalate (DBP)	84-74-2	ND
14	Benzyl Butyl Phthalate (BBP)	85-68-7	ND
15	Short Chain Chlorinated Paraffins (C ₁₀₋₁₃)	85535-84-8	ND

(b) The Second List (13 SVHC Released in Jan, 2010 and Mar, 2010)

No.	Chemical Substance	CAS No.	Results %(w/w)
16	Lead Chromate Δ	7758-97-6	ND
17	Lead Chromate Molybdate Sulphate Red (C.I. Pigment Red 104) Δ	12656-85-8	ND
18	Lead Sulfochromate Yellow (C.I. Pigment Yellow 34) Δ	1344-37-2	ND
19	Tris (2-Chloroethyl) Phosphate	115-96-8	ND
20	2,4-Dinitrotoluene	121-14-2	ND

Test Report

Issue Date: 2020-06-01

Intertek Report No. 200326001SHF-005

21	Diisobutyl Phthalate (DIBP)	84-69-5	ND
22	Coal Tar Pitch, High Temperature	65996-93-2	ND
23	Anthracene Oil	90640-80-5	ND
24	Anthracene Oil, Anthracene Paste, Distn. Lights	91995-17-4	ND
25	Anthracene Oil, Anthracene Paste, Anthracene Fraction	91995-15-2	ND
26	Anthracene Oil, Anthracene-low	90640-82-7	ND
27	Anthracene Oil, Anthracene Paste	90640-81-6	ND
28	Acrylamide	79-06-1	ND

(c) The Third List (8 SVHC Released in Jun, 2010)

No.	Chemical Substance	CAS No.	Results %(w/w)
29	Boric Acid Δ	10043-35-3, 11113-50-1	ND
30	Disodium Tetraborate, Anhydrous Δ	1330-43-4, 12179-04-3, 1303-96-4	ND
31	Tetraboron Disodium Heptaoxide, Hydrate Δ	12267-73-1	ND
32	Sodium Chromate Δ	7775-11-3	ND
33	Potassium Chromate Δ	7789-00-6	ND
34	Ammonium Dichromate Δ	7789-09-5	ND
35	Potassium Dichromate Δ	7778-50-9	ND
36	Trichloroethylene	79-01-6	ND

(d) The Fourth List (8 SVHC Released in Dec, 2010)

No.	Chemical Substance	CAS No.	Results %(w/w)
37	2-Methoxyethanol	109-86-4	ND
38	2-Ethoxyethanol	110-80-5	ND
39	Cobalt Sulphate Δ	10124-43-3	ND
40	Cobalt Dinitrate Δ	10141-05-6	ND
41	Cobalt Carbonate Δ	513-79-1	ND
42	Cobalt Diacetate Δ	71-48-7	ND
43	Chromium Trioxide Δ	1333-82-0	ND
44	Chromic Acid Δ Dichromic Acid Δ Oligomers of Chromic Acid and Dichromic Acid Δ	7738-94-5 13530-68-2 --	ND

Test Report

Issue Date: 2020-06-01

Intertek Report No. 200326001SHF-005

(e) The Fifth List (7 SVHC Released in Jun, 2011)

No.	Chemical Substance	CAS No.	Results %(w/w)
45	Strontium Chromate Δ	7789-06-2	ND
46	2-ethoxyethyl acetate (2-EEA)	111-15-9	ND
47	1,2-Benzenedicarboxylic acid, di-C ₇₋₁₁ -branched and linear alkyl esters (DHNUP)	68515-42-4	ND
48	Hydrazine	7803-57-8, 302-01-2	ND
49	1-methyl-2-pyrrolidone	872-50-4	ND
50	1,2,3-trichloropropane	96-18-4	ND
51	1,2-Benzenedicarboxylic acid, di-C ₆₋₈ -branched alkyl esters, C ₇ -rich (DIHP)	71888-89-6	ND

(f) The Sixth List (20 SVHC Released in Dec, 2011)

No.	Chemical Substance	CAS No.	Results %(w/w)
52	Lead dipicrate Δ	6477-64-1	ND
53	Lead styphnate Δ	15245-44-0	ND
54	Lead azide; Lead diazide Δ	13424-46-9	ND
55	Phenolphthalein	77-09-8	ND
56	2,2'-dichloro-4,4'-methylenedianiline (MOCA)	101-14-4	ND
57	N,N-dimethylacetamide (DMAC)	127-19-5	ND
58	Trilead diarsenate Δ	3687-31-8	ND
59	Calcium arsenate Δ	7778-44-1	ND
60	Arsenic acid Δ	7778-39-4	ND
61	Bis(2-methoxyethyl) ether	111-96-6	ND
62	1,2-Dichloroethane	107-06-2	ND
63	4-(1,1,3,3-tetramethylbutyl)phenol, (4-tert-Octylphenol)	140-66-9	ND
64	2-Methoxyaniline; o-Anisidine	90-04-0	ND
65	Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	ND
66	Formaldehyde, oligomeric reaction products with aniline (technical MDA)	25214-70-4	ND
67	Pentazinc chromate octahydroxide Δ	49663-84-5	ND
68	Potassium hydroxyoctaoxidizincate di-chromate Δ	11103-86-9	ND
69	Dichromium tris(chromate) Δ	24613-89-6	ND
70	Aluminosilicate Refractory Ceramic Fibres Δ	(Index No. 650-017-00-8)	ND
71	Zirconia Aluminosilicate Refractory Ceramic Fibres Δ	(Index No. 650-017-00-8)	ND

Test Report

Issue Date: 2020-06-01

Intertek Report No. 200326001SHF-005

(g) The Seventh List (13 SVHC Released in Jun, 2012)

No.	Chemical Substance	CAS No.	Results %(w/w)
72	1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)	112-49-2	ND
73	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	ND
74	Diboron trioxide Δ	1303-86-2	ND
75	Formamide	75-12-7	ND
76	Lead(II) bis(methanesulfonate) Δ	17570-76-2	ND
77	TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione)	2451-62-9	ND
78	β-TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	59653-74-6	ND
79	4,4'-bis(dimethylamino)benzophenone (Michler's ketone)	90-94-8	ND
80	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1	ND
81	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	548-62-9	ND
82	[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	2580-56-5	ND
83	α,α-Bis[4-(dimethylamino)phenyl]-4(phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	6786-83-0	ND
84	4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	561-41-1	ND

Test Report

Issue Date: 2020-06-01

Intertek Report No. 200326001SHF-005

(h) The Eighth List (54 SVHC Released in Dec, 2012)

No.	Chemical Substance	CAS No.	Results %(w/w)
85	Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)	1163-19-5	ND
86	Pentacosafuorotridecanoic acid	72629-94-8	ND
87	Tricosafuorododecanoic acid	307-55-1	ND
88	Henicosafuoroundecanoic acid	2058-94-8	ND
89	Heptacosafuorotetradecanoic acid	376-06-7	ND
90	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3	ND
91	Cyclohexane-1,2-dicarboxylic anhydride [1] cis-cyclohexane-1,2-dicarboxylic anhydride [2] trans-cyclohexane-1,2-dicarboxylic anhydride [3] [The individual cis- [2] and trans- [3] isomer substances and all possible combinations of the cis- and trans-isomers [1] are covered by this entry].	85-42-7 13149-00-3 14166-21-3	ND
92	Hexahydromethylphthalic anhydride [1], Hexahydro-4-methylphthalic anhydride [2], Hexahydro-1-methylphthalic anhydride [3], Hexahydro-3-methylphthalic anhydride [4] [The individual isomers [2], [3] and [4] (including their cis- and trans- stereo isomeric forms) and all possible combinations of the isomers [1] are covered by this entry]	25550-51-0 19438-60-9 48122-14-1 57110-29-9	ND
93	4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	--	ND
94	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues]	--	ND
95	Methoxyacetic acid	625-45-6	ND
96	N,N-dimethylformamide	68-12-2	ND
97	Dibutyltin dichloride (DBTC) Δ	683-18-1	ND
98	Lead monoxide (Lead oxide) Δ	1317-36-8	ND
99	Orange lead (Lead tetroxide) Δ	1314-41-6	ND
100	Lead bis(tetrafluoroborate) Δ	13814-96-5	ND

Test Report

Issue Date: 2020-06-01 Intertek Report No. 200326001SHF-005

101	Trilead bis(carbonate)dihydroxide Δ	1319-46-6	ND
102	Lead titanium trioxide Δ	12060-00-3	ND
103	Lead titanium zirconium oxide Δ	12626-81-2	ND
104	Silicic acid, lead salt Δ	11120-22-2	ND
105	Silicic acid (H ₂ Si ₂ O ₅), barium salt (1:1), lead-doped Δ [with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD); the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008]	68784-75-8	ND
106	1-bromopropane (n-propyl bromide)	106-94-5	ND
107	Methyloxirane (Propylene oxide)	75-56-9	ND
108	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	ND
109	Diisopentylphthalate (DIPP)	605-50-5	ND
110	N-pentyl-isopentylphthalate	776297-69-9	ND
111	1,2-diethoxyethane	629-14-1	ND
112	Acetic acid, lead salt, basic Δ	51404-69-4	ND
113	Lead oxide sulfate Δ	12036-76-9	ND
114	[Phthalato(2-)] dioxotrilead Δ	69011-06-9	ND
115	Dioxobis(stearato)trilead Δ	12578-12-0	ND
116	Fatty acids, C16-18, lead salts Δ	91031-62-8	ND
117	Lead cyanamidate Δ	20837-86-9	ND
118	Lead dinitrate Δ	10099-74-8	ND
119	Pentalead tetraoxide sulphate Δ	12065-90-6	ND
120	Pyrochlore, antimony lead yellow Δ	8012-00-8	ND
121	Sulfurous acid, lead salt, dibasic Δ	62229-08-7	ND
122	Tetraethyllead Δ	78-00-2	ND
123	Tetralead trioxide sulphate Δ	12202-17-4	ND
124	Trilead dioxide phosphonate Δ	12141-20-7	ND
125	Furan	110-00-9	ND
126	Diethyl sulphate	64-67-5	ND
127	Dimethyl sulphate	77-78-1	ND
128	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	ND
129	Dinoseb (6-sec-butyl-2,4-dinitrophenol)	88-85-7	ND
130	4,4'-methylenedi-o-toluidine	838-88-0	ND
131	4,4'-oxydianiline and its salts	101-80-4	ND
132	4-aminoazobenzene	60-09-3	ND

Test Report

Issue Date: 2020-06-01 Intertek Report No. 200326001SHF-005

133	4-methyl-m-phenylenediamine (toluene-2,4-diamine)	95-80-7	ND
134	6-methoxy-m-toluidine (p-cresidine)	120-71-8	ND
135	Biphenyl-4-ylamine	92-67-1	ND
136	o-aminoazotoluene [(4-o-tolylazo-o-toluidine)]	97-56-3	ND
137	o-toluidine	95-53-4	ND
138	N-methylacetamide	79-16-3	ND

(i) The Ninth List (6 SVHC Released in Jun, 2013)

No.	Chemical Substance	CAS No.	Results %(w/w)
139	Cadmium Δ	7440-43-9	ND
140	Cadmium oxide Δ	1306-19-0	ND
141	Dipentyl phthalate (DPP)	131-18-0	ND
142	4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	--	ND
143	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	ND
144	Pentadecafluorooctanoic acid (PFOA)	335-67-1	ND

(j) The Tenth List (7 SVHC Released in Dec, 2013)

No.	Chemical Substance	CAS No.	Results %(w/w)
145	Cadmium sulphide Δ	1306-23-6	ND
146	Lead di(acetate) Δ	301-04-2	ND
147	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7	ND
148	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0	ND
149	Dihexyl phthalate	84-75-3	ND
150	Imidazolidine-2-thione; (2-imidazoline-2-thiol)	96-45-7	ND
151	Trixylyl phosphate	25155-23-1	ND

Test Report

Issue Date: 2020-06-01

Intertek Report No. 200326001SHF-005

(k) The Eleventh List (4 SVHC Released in Jun, 2014)

No.	Chemical Substance	CAS No.	Results %(w/w)
152	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	ND
153	Cadmium chloride Δ	10108-64-2	ND
154	Sodium perborate; perboric acid, sodium salt Δ	15120-21-5, 11138-47-9	ND
155	Sodium peroxometaborate Δ	7632-04-4	ND

(l) The Twelfth List (6 SVHC Released in December, 2014)

No.	Chemical Substance	CAS No.	Results %(w/w)
156	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	ND
157	2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	ND
158	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)	15571-58-1	ND
159	Cadmium fluoride Δ	7790-79-6	ND
160	Cadmium sulphate Δ	10124-36-4; 31119-53-6	ND
161	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	--	ND

(m) The Thirteenth List (2 SVHC Released in June, 2015)

No.	Chemical Substance	CAS No.	Results %(w/w)
162	1,2-Benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5)	68515-51-5; 68648-93-1	ND
163	5-Sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-Sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof]	--	ND

Test Report

Issue Date:

2020-06-01

Intertek Report No.

200326001SHF-005

(n) The Fourteenth List (5 SVHC Released in December, 2015)

No.	<u>Chemical Substance</u>	<u>CAS No.</u>	<u>Results %(w/w)</u>
164	1,3-Propanesultone	1120-71-4	ND
165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl) phenol (UV-327)	3864-99-1	ND
166	2-(2H-Benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	ND
167	Nitrobenzene	98-95-3	ND
168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	375-95-1; 21049-39-8; 4149-60-4	ND

(o) The Fifteenth List (1 SVHC Released in June, 2016)

No.	<u>Chemical Substance</u>	<u>CAS No.</u>	<u>Results %(w/w)</u>
169	Benzo[def]chrysene (Benzo[a]pyrene)	50-32-8	ND

(p) The Sixteenth List (4 SVHC Released in January, 2017)

No.	<u>Chemical Substance</u>	<u>CAS No.</u>	<u>Results %(w/w)</u>
170	4,4'-isopropylidenediphenol (bisphenol A)	80-05-7	ND
171	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts Nonadecafluorodecanoic acid EC no.: 206-400-3 CAS no.: 335-76-2 Ammonium nonadecafluorodecanoate EC no.: 221-470-5 CAS no.: 3108-42-7 Decanoic acid, nonadecafluoro-, sodium salt EC no.: -- CAS no.: 3830-45-3	--	ND
172	4-Heptylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	--	ND
173	p-(1,1-dimethylpropyl)phenol	80-46-6	ND

Test Report

Issue Date:

2020-06-01

Intertek Report No.

200326001SHF-005

(q) The Seventeenth List (1 SVHC Released in July, 2017)

No.	<u>Chemical Substance</u>	<u>CAS No.</u>	<u>Results %(w/w)</u>
174	Perfluorohexane-1-sulphonic acid and its salt (PFHxS)	--	ND

(r) The Eighteenth List (7 SVHC Released in Jan, 2018)

No.	<u>Chemical Substance</u>	<u>CAS No.</u>	<u>Results %(w/w)</u>
175	Benz[a]anthracene	56-55-3	ND
176	Cadmium nitrate Δ	10325-94-7	ND
177	Cadmium carbonate Δ	513-78-0	ND
178	Cadmium hydroxide Δ	21041-95-2	ND
179	Chrysene	218-01-9	ND
180	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus"™) [covering any of its individual anti- and syn-isomers or any combination thereof]	--	ND
181	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with $\geq 0.1\%$ w/w 4-heptylphenol, branched and linear]	--	ND

(s) The Nineteenth List (10 SVHC Released in Jun, 2018)

No.	<u>Chemical Substance</u>	<u>CAS No.</u>	<u>Results %(w/w)</u>
182	Octamethylcyclotetrasiloxane (D4)	556-67-2	ND
183	Decamethylcyclopentasiloxane (D5)	541-02-6	ND
184	Dodecamethylcyclohexasiloxane (D6)	540-97-6	ND
185	Lead	7439-92-1	ND
186	Disodium octaborate Δ	12008-41-2	ND
187	Benzo[ghi]perylene	191-24-2	ND
188	Terphenyl hydrogenated	61788-32-7	ND
189	Ethylenediamine (EDA)	107-15-3	ND
190	Benzene-1,2,4-tricarboxylic acid 1,2-anhydride (Trimellitic anhydride) (TMA)	552-30-7	ND
191	Dicyclohexyl phthalate (DCHP)	84-61-7	ND

Test Report

Issue Date: 2020-06-01

Intertek Report No. 200326001SHF-005

(t) The Twentieth List (6 SVHC Released in Jan, 2019)

No.	<u>Chemical Substance</u>	<u>CAS No.</u>	<u>Results %(w/w)</u>
192	2,2-bis(4'-hydroxyphenyl)-4-methylpentane	6807-17-6	ND
193	Benzo[k]fluoranthene	207-08-9	ND
194	Fluoranthene	206-44-0	ND
195	Phenanthrene	85-01-8	ND
196	Pyrene	129-00-0	ND
197	1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one (3-benzylidene camphor)	15087-24-8	ND

(u) The Twenty-first List (4 SVHC Released in July, 2019)

No.	<u>Chemical Substance</u>	<u>CAS No.</u>	<u>Results %(w/w)</u>
198	4-tert-butylphenol (PTBP)	98-54-4	ND
199	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)	--	ND
200	2-methoxyethyl acetate	110-49-6	ND
201	Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with $\geq 0.1\%$ w/w of 4-nonylphenol, branched and linear (4-NP)	--	ND

(v) The Twenty-second List (4 SVHC Released in Jan, 2020)

No.	<u>Chemical Substance</u>	<u>CAS No.</u>	<u>Results %(w/w)</u>
202	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	119313-12-1	ND
203	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	ND
204	Diisohexyl phthalate	71850-09-4	ND
205	Perfluorobutane sulfonic acid (PFBS) and its salts	--	ND

Test Report

Issue Date: 2020-06-01 Intertek Report No. 200326001SHF-005

Note:

Reporting limit = 0.050% (whole product)

SVHC = Substance of very high concern

ND = Not detected (the result is less than the reporting limit)

Reporting limit = Quantitation limit of analyte in sample

Δ = Determination was based on elemental analysis. The content was calculated based on assumption of worst-Case

Test location: Central Chemical Lab of Intertek Testing Services Ltd., Shanghai

Address: Block B, Jinling Business Square, No.801, Yi Shan Road, Shanghai, China

- 1 Substances of very high concern (SVHC) are classified as:
 - a. Carcinogenic, mutagenic or toxic to reproduction category 1 (proven on humans) and category 2 (proven on animals)
 - b. Persistent, bioaccumulative and toxic chemicals (PBT)
 - c. Very persistent and very bioaccumulative chemicals (vPvB)
 - d. Other similar substances such as endocrine disrupters

2. If the imported or manufactured volume of each individual SVHC in article is more than 0.1% (w/w) and if it exceeds 1 tonne per year across all product ranges, then importer or manufacturer require notification to the European Chemical Agency (ECHA). For substances included in the Candidate List on or after 1 December 2010, the notifications have to be submitted no later than 6 months after the inclusion. The following information has to be submitted for notification:
 - a. Identification of the registrant and the substance
 - b. Classification and labelling of the substance
 - c. Description of use of the substance and the article
 - d. Registration number, if available
 - e. Tonnage range

3. As per article 31 of regulation (EC) No. 1907/2006 (REACH), suppliers of mixtures not classified as dangerous according to directive 1999/45/EC have to provide the recipients, at their request, with a safety data sheet if the mixtures contain at least one substance on the SVHC candidate list and its individual concentration is 0.1%(w/w) or above for non-gaseous preparations.

REACH requirement:

As per article 33(1) of regulation (EC) No. 1907/2006 (REACH), recipients of product must be provided with information of safe use if any of the tested substances (SVHC) exceeded 0.1% (w/w). A product meets the requirement of article 33(1) by default when no SVHC exceeds 0.1% (w/w).

Conclusion:

Tested Samples	Standard	Result
Submitted sample	EU REACH Regulation No 1907/2006 Article 33(1) Obligation to provide information of safe use (see REACH requirement in report for details)	Meet Requirement

Test Report

Issue Date: 2020-06-01

Intertek Report No. 200326001SHF-005

Appendix A: Sample Received Photo



Front View



Back View

Revision:

NO.	Date	Changes	Author	Reviewer
200326001SHF-005	2020-06-01	First issue	Tod Qian	Daniel Zhang

Safety Data Sheet (SDS) Report

Applicant: Anhui Sentai WPC Tec FlooringCo., Ltd.
Jianshe Road, Economic and Technology Development Area of Guangde
County, 242237, Anhui Province, China.

SDS number: 180523002SHF-BP

Issue Date: 2018-05-31

Sample Description:

The sample information was submitted and identified on client's behalf to be:

Product Name : RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)
Physical State : Solid
Data Received : May 23, 2018
Data Reviewed : May 31, 2018

Service Requested:

Based on the information provided by the applicant, the Safety Data Sheet (SDS) was generated in accordance with requirements of OSHA HazCom Standard (2012), for details please refer to attached pages.

Authorized By:

On Behalf Of Regulatory Affairs in Intertek Testing Services Ltd., Shanghai



Anna Wang
Regulatory Consultant

This report shall not be reproduced except in full, without the written approval of the laboratory.

Intertek Health, Environmental & Regulatory Services (HERS)

5th Floor, Building No.86, 1198 QinZhou Road(North), Cao Hejing Development
Zone, ShangHai, China.

Tel: +86 021 53397917 ZIP: 200233

E-mail: hers@intertek.com

Safety Data Sheet

RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)

Anhui Sentai WPC Tec FlooringCo., Ltd.

SDS number: 180523002SHF-BP

Version No:1.0

Issue Date:31/05/2018

According to OSHA HazCom Standard (2012) requirements

GHS.USA.EN

SECTION 1 IDENTIFICATION

Product Identifier

Product name	RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)
Other means of identification	Not Available

Recommended use of the chemical and restrictions on use

Relevant identified uses	decorative material
--------------------------	---------------------

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Supplier name	Anhui Sentai WPC Tec FlooringCo., Ltd.
Address	Jianshe Road, Economic and Technoloy Develoment Area of Guangde County, 242237,Anhui Province, China.
Telephone	0086-13951586916
Emergency telephone	0086-13951586916
Email	luffy@sentaigroup.com
Importer name	
Address	
Telephone	
Email	

Emergency phone number

Association / Organisation	
Emergency telephone numbers	

SECTION 2 HAZARD(S) IDENTIFICATION

Classification of the substance or mixture

Not considered a Hazardous Substance by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). Not classified as Dangerous Goods for transport purposes.

Classification	Not Classified
----------------	----------------

Label elements

Hazard pictogram(s)	Not Applicable
---------------------	----------------

SIGNAL WORD	NOT APPLICABLE
-------------	----------------

Hazard statement(s)

Not Applicable

Hazard(s) not otherwise specified

Not Applicable

Supplementary statement(s)

Not Applicable

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

Continued...

RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
471-34-1	72.02	<u>Calcium carbonate</u>
9002-86-2	24.97	<u>polyvinyl chloride</u>
1592-23-0	1.6	<u>calcium stearate</u>
557-05-1		<u>zinc stearate</u>
9002-88-4		<u>polyethylene</u>
2082-79-3		<u>Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate</u>
471-34-1		<u>Calcium carbonate</u>
1214-39-7	0.64	<u>benzylaminopurine</u>
9002-88-4	0.45	<u>polyethylene</u>
25852-37-3	0.16	<u>methyl methacrylate/ butyl acrylate copolymer</u>
64754-90-1		<u>polyethylene chlorinated</u>
25053-09-2		<u>styrene/ butadiene/ methyl methacrylate copolymer</u>
557-05-1	0.13	<u>zinc stearate</u>
115-77-5		<u>pentaerythritol</u>
22610-63-5		<u>(±)-2,3-dihydroxypropyl stearate</u>
1333-86-4		<u>Carbon balck</u>

SECTION 4 FIRST-AID MEASURES

Description of first aid measures

Eye Contact	<p>If this product comes in contact with eyes:</p> <ul style="list-style-type: none"> ▶ Wash out immediately with water. ▶ If irritation continues, seek medical attention. ▶ Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	<p>If skin contact occurs:</p> <ul style="list-style-type: none"> ▶ Immediately remove all contaminated clothing, including footwear. ▶ Flush skin and hair with running water (and soap if available). ▶ Seek medical attention in event of irritation.
Inhalation	<ul style="list-style-type: none"> ▶ If fumes, aerosols or combustion products are inhaled remove from contaminated area. ▶ Other measures are usually unnecessary.
Ingestion	<ul style="list-style-type: none"> ▶ Immediately give a glass of water. ▶ First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIRE-FIGHTING MEASURES

Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- ▶ Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.
-----------------------------	-------------

Special protective equipment and precautions for fire-fighters

Fire Fighting	<ul style="list-style-type: none"> ▶ Alert Fire Brigade and tell them location and nature of hazard. ▶ Wear breathing apparatus plus protective gloves in the event of a fire.
Fire/Explosion Hazard	<ul style="list-style-type: none"> ▶ Non combustible. ▶ Not considered a significant fire risk, however containers may burn. May emit corrosive fumes.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	<ul style="list-style-type: none"> ▶ Clean up all spills immediately. ▶ Avoid breathing dust and contact with skin and eyes.
Major Spills	▶ CAUTION: Advise personnel in area.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	<ul style="list-style-type: none"> ▶ Limit all unnecessary personal contact. ▶ Wear protective clothing when risk of exposure occurs.
Other information	<ul style="list-style-type: none"> ▶ Store in original containers. ▶ Keep containers securely sealed.

Conditions for safe storage, including any incompatibilities

Suitable container	▶ Carton
Storage incompatibility	None known

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US NIOSH Recommended Exposure Limits (RELs)	Calcium carbonate	Calcium salt of carbonic acid [Note: Occurs in nature as as limestone, chalk, marble, dolomite, aragonite, calcite and oyster shells.]	10 (total), 5 (resp) mg/m ³	Not Available	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)	polyvinyl chloride	Polyvinyl chloride	1 mg/m ³	Not Available	Not Available	TLV® Basis: Pneumoconiosis; LRT irr; pulm func changes
US ACGIH Threshold Limit Values (TLV)	calcium stearate	* Stearates(J)	10; 3 mg/m ³	Not Available	Not Available	TLV® Basis: LRT irr
US NIOSH Recommended Exposure Limits (RELs)	zinc stearate	Dibasic zinc stearate, Zinc salt of stearic acid, Zinc distearate	10 (total), 5 (resp) mg/m ³	Not Available	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)	zinc stearate	* Stearates(J)	10; 3 mg/m ³	Not Available	Not Available	TLV® Basis: LRT irr
US OSHA Permissible Exposure Levels (PELs) - Table Z1	zinc stearate	Zinc stearate: Respirable fraction	5 mg/m ³	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	zinc stearate	Zinc stearate: Total dust	15 mg/m ³	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	Particulates not otherwise regulated (PNOR): Total dust	15 mg/m ³	Not Available	Not Available	(f) All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by the Particulates Not Otherwise Regulated (PNOR) limit which is the same as the inert or nuisance dust limit of Table Z-3.
US OSHA Permissible Exposure Levels (PELs) - Table Z1	styrene/ butadiene/ methyl methacrylate copolymer	Particulates not otherwise regulated (PNOR): Total dust	15 mg/m ³	Not Available	Not Available	(f) All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by the Particulates Not Otherwise Regulated (PNOR) limit which is the same as the inert or nuisance dust limit of Table Z-3.
US NIOSH Recommended Exposure Limits (RELs)	pentaerythritol	2,2-bis(Hydroxymethyl)-1,3-propanediol; Methane tetramethanol; Monopentaerythritol; PE; Tetrahydroxymethylmethane; Tetramethylmethane	10 (total), 5 (resp) mg/m ³	Not Available	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)	pentaerythritol	Pentaerythritol	10 mg/m ³	Not Available	Not Available	TLV® Basis: GI irr
US OSHA Permissible Exposure Levels (PELs) - Table Z1	pentaerythritol	Pentaerythritol: Respirable fraction	5 mg/m ³	Not Available	Not Available	Not Available

Continued...

RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)


US OSHA Permissible Exposure Levels (PELs) - Table Z1	pentaerythritol	Pentaerythritol: Total dust	15 mg/m ³	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	Carbon balck	Acetylene black, Channell black, Furnace black, Lamp black, Thermal black	3.5 mg/m ³	Not Available	Not Available	Ca See Appendix A See Appendix C
US ACGIH Threshold Limit Values (TLV)	Carbon balck	Carbon black	3 mg/m ³	Not Available	Not Available	TLV® Basis: Bronchitis
US OSHA Permissible Exposure Levels (PELs) - Table Z1	Carbon balck	Carbon black	3.5 mg/m ³	Not Available	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)	(±)-2,3-dihydroxypropyl stearate	* Stearates(J)	10; 3 mg/m ³	Not Available	Not Available	TLV® Basis: LRT irr

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
Calcium carbonate	Carbonic acid, calcium salt	45 mg/m ³	210 mg/m ³	1,300 mg/m ³
polyvinyl chloride	Polyvinyl chloride	3 mg/m ³	33 mg/m ³	200 mg/m ³
zinc stearate	Zinc stearate	30 mg/m ³	330 mg/m ³	2,000 mg/m ³
benzylaminopurine	Benzyl aminopurine, 6-; (6-Benzyladenine)	3.5 mg/m ³	38 mg/m ³	230 mg/m ³
polyethylene	Polyethylene	28 mg/m ³	310 mg/m ³	1,000 mg/m ³
pentaerythritol	Pentaerythritol	30 mg/m ³	90 mg/m ³	540 mg/m ³
Carbon balck	Carbon black	9 mg/m ³	99 mg/m ³	590 mg/m ³

Ingredient	Original IDLH	Revised IDLH
Carbon balck	1750 mg/m ³	Not Available

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.
Personal protection	
Eye and face protection	<ul style="list-style-type: none"> ▶ Safety glasses with side shields. ▶ Chemical goggles.
Skin protection	See Hand protection below
Hands/feet protection	<p>NOTE:</p> <ul style="list-style-type: none"> ▶ The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact. <p>The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present.</p> <ul style="list-style-type: none"> ▶ polychloroprene.
Body protection	See Other protection below
Other protection	<ul style="list-style-type: none"> ▶ Overalls. ▶ P.V.C.

Respiratory protection

- ▶ Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.
- ▶ The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Solid		
Physical state	Solid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available

Continued...

RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)

Flammability	Not Flammable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Not Available	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute Toxicity	Calcium carbonate
	Oral (rat) LD50: 6450 mg/kg ^[2]
	zinc stearate
	Oral (rat) LD50: 10000 mg/kg ^[2]
	Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate
	dermal (rat) LD50: >2000 mg/kg ^[2]
	Oral (rat) LD50: >10000 mg/kg ^[2]
	benzylaminopurine
	Dermal (rabbit) LD50: >5000 mg/kg ^[2]
	Inhalation (rat) LC50: 5.2 mg/l/4H ^[2]
	Oral (rat) LD50: 2125 mg/kg ^[2]
	polyethylene
	Dermal (rabbit) LD50: >2000 mg/kg ^[2]
	Oral (rat) LD50: >3000 mg/kg ^[2]
	methyl methacrylate/ butyl acrylate copolymer
dermal (rat) LD50: >5000 mg/kg ^[2]	
Oral (rat) LD50: >5000 mg/kg ^[2]	
polyethylene chlorinated	
dermal (rat) LD50: 2000 mg/kg ^[2]	
Oral (rat) LD50: 5000 mg/kg ^[2]	
styrene/ butadiene/ methyl methacrylate copolymer	
Oral (rat) LD50: 5000 mg/kg ^[2]	
pentaerythritol	
Oral (rat) LD50: >2000 mg/kg ^[1]	
Carbon black	
Dermal (rabbit) LD50: >3000 mg/kg ^[2]	
Oral (rat) LD50: >10000 mg/kg ^[1]	

Continued...

RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)

Skin corrosion/irritation	No skin irritation	
Serious eye damage/irritation	No eye irritation	
Respiratory or skin sensitisation	No data available	
Germ cell mutagenicity	No data available	
Carcinogenicity	Chemical name	IARC
	polyethylene	Group 3
	polyethylene chlorinated	Group 3
	Carbon black	2B
Reproductive toxicity	No data available	
STOT-single exposure	No data available	
STOT-repeated exposure	No data available	
Aspiration hazard	No data available	
Legend:	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances	

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
		Not Available	Not Available	Not Available	Not Available
Calcium carbonate	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	>56000mg/L	4
	EC50	72	Algae or other aquatic plants	>14mg/L	2
	NOEC	72	Algae or other aquatic plants	14mg/L	2
zinc stearate	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.439mg/L	2
	EC50	48	Crustacea	0.413mg/L	2
	NOEC	720	Fish	0.172mg/L	2
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	=50mg/L	1
	EC50	72	Algae or other aquatic plants	>30mg/L	1
	NOEC	72	Algae or other aquatic plants	30mg/L	1
benzylaminopurine	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	21.4mg/L	4
	EC50	48	Crustacea	20.5mg/L	4
pentaerythritol	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	EC50	48	Crustacea	33600mg/L	4
	NOEC	336	Algae or other aquatic plants	>=5000mg/L	1
Carbon black	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	=1000mg/L	1
	NOEC	96	Fish	=1000mg/L	1

Legend: Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Persistence and degradability

Continued...

RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)

Ingredient	Persistence: Water/Soil	Persistence: Air
polyvinyl chloride	LOW	LOW
zinc stearate	LOW	LOW
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	HIGH	HIGH
benzylaminopurine	HIGH	HIGH
polyethylene	LOW	LOW
pentaerythritol	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
polyvinyl chloride	LOW (LogKOW = 1.6233)
zinc stearate	LOW (LogKOW = 7.9444)
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	LOW (BCF = 12)
benzylaminopurine	LOW (LogKOW = 1.57)
polyethylene	LOW (LogKOW = 1.2658)
pentaerythritol	LOW (BCF = 0.6)

Mobility in soil

Ingredient	Mobility
polyvinyl chloride	LOW (KOC = 23.74)
zinc stearate	LOW (KOC = 11670)
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	LOW (KOC = 734400000)
benzylaminopurine	LOW (KOC = 1130)
polyethylene	LOW (KOC = 14.3)
pentaerythritol	HIGH (KOC = 1)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal	<ul style="list-style-type: none"> ▶ Containers may still present a chemical hazard/ danger when empty. ▶ Return to supplier for reuse/ recycling if possible. ▶ Recycle wherever possible or consult manufacturer for recycling options. ▶ Consult State Land Waste Management Authority for disposal.
-------------------------------------	---

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	NO
-------------------------	----

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

CALCIUM CARBONATE(471-34-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US NIOSH Recommended Exposure Limits (RELs)	US TSCA Chemical Substance Inventory - Interim List of Active Substances
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory	

POLYVINYL CHLORIDE(9002-86-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs	US ACGIH Threshold Limit Values (TLV) - Carcinogens
US - Hawaii Air Contaminant Limits	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
US ACGIH Threshold Limit Values (TLV)	US TSCA Chemical Substance Inventory - Interim List of Active Substances

CALCIUM STEARATE(1592-23-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Continued...

RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)

US - California Permissible Exposure Limits for Chemical Contaminants
 US ACGIH Threshold Limit Values (TLV)
 US ACGIH Threshold Limit Values (TLV) - Carcinogens

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
 US TSCA Chemical Substance Inventory - Interim List of Active Substances

ZINC STEARATE(557-05-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Alaska Limits for Air Contaminants
 US - California Permissible Exposure Limits for Chemical Contaminants
 US - Hawaii Air Contaminant Limits
 US - Idaho - Limits for Air Contaminants
 US - Massachusetts - Right To Know Listed Chemicals
 US - Michigan Exposure Limits for Air Contaminants
 US - Minnesota Permissible Exposure Limits (PELs)
 US - Oregon Permissible Exposure Limits (Z-1)
 US - Pennsylvania - Hazardous Substance List
 US - Rhode Island Hazardous Substance List
 US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants
 US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants
 US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants
 US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
 US ACGIH Threshold Limit Values (TLV)
 US ACGIH Threshold Limit Values (TLV) - Carcinogens
 US CWA (Clean Water Act) - Priority Pollutants
 US CWA (Clean Water Act) - Toxic Pollutants
 US EPA Carcinogens Listing
 US EPCRA Section 313 Chemical List
 US NIOSH Recommended Exposure Limits (RELs)
 US OSHA Permissible Exposure Levels (PELs) - Table Z1
 US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
 US TSCA Chemical Substance Inventory - Interim List of Active Substances

OCTADECYL 3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE(2082-79-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)
 US - California Permissible Exposure Limits for Chemical Contaminants
 US - Hawaii Air Contaminant Limits
 US - Michigan Exposure Limits for Air Contaminants
 US - Oregon Permissible Exposure Limits (Z-1)
 US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Washington Permissible exposure limits of air contaminants
 US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
 US OSHA Permissible Exposure Levels (PELs) - Table Z1
 US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
 US TSCA Chemical Substance Inventory - Interim List of Active Substances

BENZYLAMINOPURINE(1214-39-7) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US List of Active Substances Exempt from the TSCA Inventory Notifications (Active-Inactive) Rule

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

POLYETHYLENE(9002-88-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs
 US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA Chemical Substance Inventory - Interim List of Active Substances

METHYL METHACRYLATE/ BUTYL ACRYLATE COPOLYMER(25852-37-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Michigan Exposure Limits for Air Contaminants
 US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
 US TSCA Chemical Substance Inventory - Interim List of Active Substances

POLYETHYLENE CHLORINATED(64754-90-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Michigan Exposure Limits for Air Contaminants
 US List of Active Substances Exempt from the TSCA Inventory Notifications (Active-Inactive) Rule

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

STYRENE/ BUTADIENE/ METHYL METHACRYLATE COPOLYMER(25053-09-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)
 US - California Permissible Exposure Limits for Chemical Contaminants
 US - Hawaii Air Contaminant Limits
 US - Michigan Exposure Limits for Air Contaminants
 US - Oregon Permissible Exposure Limits (Z-1)
 US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Washington Permissible exposure limits of air contaminants
 US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
 US List of Active Substances Exempt from the TSCA Inventory Notifications (Active-Inactive) Rule
 US OSHA Permissible Exposure Levels (PELs) - Table Z1
 US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

PENTAERYTHRITOL(115-77-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Alaska Limits for Air Contaminants
 US - Hawaii Air Contaminant Limits
 US - Idaho - Limits for Air Contaminants
 US - Massachusetts - Right To Know Listed Chemicals
 US - Michigan Exposure Limits for Air Contaminants
 US - Minnesota Permissible Exposure Limits (PELs)
 US - Oregon Permissible Exposure Limits (Z-1)
 US - Pennsylvania - Hazardous Substance List
 US - Rhode Island Hazardous Substance List
 US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants
 US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants
 US - Washington Permissible exposure limits of air contaminants
 US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
 US ACGIH Threshold Limit Values (TLV)
 US NIOSH Recommended Exposure Limits (RELs)
 US OSHA Permissible Exposure Levels (PELs) - Table Z1
 US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
 US TSCA Chemical Substance Inventory - Interim List of Active Substances

CARBON BALCK(1333-86-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs	US - Rhode Island Hazardous Substance List
US - Alaska Limits for Air Contaminants	US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants
US - California Permissible Exposure Limits for Chemical Contaminants	US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants
US - California Proposition 65 - Carcinogens	US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants
US - Hawaii Air Contaminant Limits	US - Washington Permissible exposure limits of air contaminants
US - Idaho - Limits for Air Contaminants	US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
US - Massachusetts - Right To Know Listed Chemicals	US ACGIH Threshold Limit Values (TLV)
US - Michigan Exposure Limits for Air Contaminants	US ACGIH Threshold Limit Values (TLV) - Carcinogens
US - Minnesota Permissible Exposure Limits (PELs)	US NIOSH Recommended Exposure Limits (RELs)
US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens	US OSHA Permissible Exposure Levels (PELs) - Table Z1
US - Oregon Permissible Exposure Limits (Z-1)	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
US - Pennsylvania - Hazardous Substance List	US TSCA Chemical Substance Inventory - Interim List of Active Substances

(±)-2,3-DIHYDROXYPROPYL STEARATE(22610-63-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US ACGIH Threshold Limit Values (TLV)	US ACGIH Threshold Limit Values (TLV) - Carcinogens
---------------------------------------	---

Federal Regulations**Superfund Amendments and Reauthorization Act of 1986 (SARA)****SECTION 311/312 HAZARD CATEGORIES**

Flammable (Gases, Aerosols, Liquids, or Solids)	No
Gas under pressure	No
Explosive	No
Self-heating	No
Pyrophoric (Liquid or Solid)	No
Pyrophoric Gas	No
Corrosive to metal	No
Oxidizer (Liquid, Solid or Gas)	No
Organic Peroxide	No
Self-reactive	No
In contact with water emits flammable gas	No
Combustible Dust	No
Carcinogenicity	No
Acute toxicity (any route of exposure)	No
Reproductive toxicity	No
Skin Corrosion or Irritation	No
Respiratory or Skin Sensitization	No
Serious eye damage or eye irritation	No
Specific target organ toxicity (single or repeated exposure)	No
Aspiration Hazard	No
Germ cell mutagenicity	No
Simple Asphyxiant	No

US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

None Reported

State Regulations**US. CALIFORNIA PROPOSITION 65**

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm

US - CALIFORNIA PROPOSITION 65 - CARCINOGENS & REPRODUCTIVE TOXICITY (CRT): LISTED SUBSTANCE

Carbon black (airborne, unbound particles of respirable size) Listed

SECTION 16 OTHER INFORMATION**Other information**

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

Definitions and abbreviations

PC—TWA: Permissible Concentration-Time Weighted Average
 PC—STEL: Permissible Concentration-Short Term Exposure Limit
 IARC: International Agency for Research on Cancer
 ACGIH: American Conference of Governmental Industrial Hygienists
 STEL: Short Term Exposure Limit

Continued...

RIGID VINYL PLANK (APPLY FOR FLOOR AND WALL)

TEEL: Temporary Emergency Exposure Limit,
IDLH: Immediately Dangerous to Life or Health Concentrations
OSF: Odour Safety Factor
NOAEL :No Observed Adverse Effect Level
LOAEL: Lowest Observed Adverse Effect Level
TLV: Threshold Limit Value
LOD: Limit Of Detection
OTV: Odour Threshold Value
BCF: BioConcentration Factors
BEI: Biological Exposure Index



Disclaimer and copyright

Document disclaimer

The provided information is offered in good faith as accurate but without guarantee. Eva-Last makes no warranties or representations of any kind (express or implied) about the accuracy, adequacy, currency, or completeness of the information, or that it is necessarily suitable for the intended use.

Compliance with this document does not guarantee immunity from breach of any statutory requirements, building codes or relevant standards. The final responsibility for the correct design and specification rests with the designer and, for its satisfactory execution, with the contractor. Appropriate warnings and safe handling procedures should be provided to handlers and users.

While most data have been compiled from research, case histories, experience and testing, small changes in the environment can produce marked differences in performance. The decision to use a material, and in what manner, is made at your own risk. The use of a material and method may therefore need to be modified to its intended end use and environment.

Eva-Last, its directors, officers or employees shall not be responsible for any direct, indirect, or special loss or damage arising from, or as a consequence of, use of, or reliance upon, any information contained in this document or other documents referenced herein. Eva-Last expressly disclaims any liability which is based on or arises out of, the information or any errors, omissions, or misstatements herein.

Drawing disclaimer

All dimensions and specifications are offered in good faith as accurate but without guarantee. The information captured herein may not contain complete details. Eva-Last makes no warranties or representations of any kind (express or implied) about the accuracy, adequacy, currency, or completeness of the information, or that it is necessarily suitable for the intended use.

Compliance with this document does not guarantee immunity from breach of any statutory requirements, building codes or relevant standards. The final responsibility for the correct design and specification rests with the designer and, for its satisfactory execution, with the contractor.

Utilisation disclaimer

Legislation may differ between jurisdictions. Before installing any Eva-Last product, ensure that the application is rational and complies with the local regulations and building codes. Wherever necessary, consult a suitably qualified professional. Be sure to comply with material manufacturer specifications. Where manufacturers and building codes differ, revert to the building code requirements. Check that your choice of product is suitable for its intended application. For further product specification and information visit www.eva-last.com.

Copyright

If reprinted or reproduced or utilised in any form Eva-Last should be acknowledged as the source of the information. Eva-Last periodically updates the information contained in this document as well as that of the Eva Last documents that have been referenced herein. Before using this document, please refer to the Eva-Last website (www.eva-last.com) for the most up-to-date documents.

Contact information

Eva-Last
Room 1203, 12/F Tower 333 Canton
Road, Tsimshatsui, Hong Kong, China

Email: info@eva-last.com

Website: www.eva-last.com